

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L20	3	"20050129022"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 10:49
L19	2	"20030193967"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 10:37
L18	22	ISP with specific near3 router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 10:34
L17	1	message adj server with specific near3 router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 10:34
L16	0	message adj server near3 specific near3 router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 10:34
L15	9	service adj providers near3 specific near3 router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 10:33
L14	9	service adj provider near3 specific near3 router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 10:22

L13	126	service adj provider with specific with router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 10:22
L12	126	service adj provider with router with specific	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 10:15
L11	60	header\$5 with return with path and acknowledge and (email message data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 09:46
L10	1	header\$5 with return with path same acknowledge and (email message data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 09:45
L9	0	header\$5 with return with path same acknowledge with receipt and (email message data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 09:45
L8	0	header\$5 with return with path with acknowledge with receipt and (email message data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 09:45
L7	0	track\$5 with return with path with acknowledge with receipt and (email message data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 09:45
L6	0	track\$5 with return with path with acknowledge with receipt same (email message data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 09:44

L5	4	(inter-ISP (inter-service adj provider) inter-domain) with transfer\$5 with message and acknowledg\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 09:20
L4	9	(inter-ISP (inter-service adj provider) inter-domain) with transfer\$5 with message	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 09:20
L3	1	(inter-ISP (inter-service adj provider) inter-domain) with transfer\$5 same acknowledg\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 09:19
L2	0	(inter-ISP (inter-service adj provider) inter-domain) with transfer\$5 with message same acknowledg\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 09:19
L1	64	transfer\$5 with email with ISP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 09:12
S81	2	"20020056123"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/05 09:07
S80	1156	MIME with document same"Fig."	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/05 08:50
S79	0	MIME with document with "Fig."	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/05 08:49

S78	0	MIME with document with depict\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/05 08:49
S77	0	MIME with document with standard with depict\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/05 08:49
S76	256	MIME with document with standard	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/05 08:46
S75	2	"6549612".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/05 08:35
S74	2	test\$5 same (local LAN) with (WAN remote) with access with (path route link) with (storage disk SAN)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/04 13:00
S73	0	test\$5 near4 (local LAN) with (WAN remote) with access with (path route link) with (storage disk SAN)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/04 13:00
S72	13942	test\$5 near4 (local LAN) with (WAN remote) access with (path route link) with (storage disk SAN)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/04 12:58
S71	60	network same (desired desirable) with (path route) same test\$5 near4 (path route link)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/04 11:10

S70	268	network same (desired desirable) with (path route) and test\$5 near4 (path route link)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/04 11:10
S69	0	network same (desired desirable) with (path route) and access near3 (right) and test \$5 near4 (path route link)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/04 11:09
S68	7	network same (desired desirable) with (path route) and access near3 (rule policy) and test\$5 near4 (path route link)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/04 11:01
S67	0	select\$5 same network same (desired desirable) with (path route) and access near3 (rule policy) and test\$5 near4 (path route link)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/04 11:01
S66	1	select\$5 with (desired desirable) with (path route link) and access near3 (rule policy) and test\$5 near4 (path route link)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/04 11:00
S65	37	select\$5 with desir\$5 with (path route link) same test\$5 near4 (path route link)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/04 10:51
S64	45	select\$5 with remote with local with (path route link) and test\$5 near4 (path route link)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/04 10:18
S63	1	select\$5 with remote with local with (path route link) same (rule policy) and test\$5 near4 (path route link)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/04 10:07

S62	34	select\$5 with remote with local with access same (rule policy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/04 09:54
S61	2	select\$5 with path with remote with local with access same (rule policy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/04 09:53
S60	1	(SAN) and select\$5 with path with remote with local with access same (rule policy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/04 09:52
S59	1	(SAN) same manag\$5 and select\$5 with path with remote with local with access	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/04 09:50
S58	21	(SAN) same manag\$5 same remote with local with access	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/04 09:46
S57	5	data near3 (store container SAN) same Set near4 remote with local with access	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/04 09:45
S56	0	data near3 (store container SAN) same Set near4 remote with local with access same manag\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/04 09:45
S55	120	data with (store container SAN) same remote same local same access same address same manag \$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/04 09:43

S54	383	data with (store container SAN) same remote same local same access same address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/04 09:42
S53	2	"20030212785"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/04 09:36
S52	2	"7299259".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/04 09:04
S51	2	"7296088".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/04 09:03
S50	2	"7594267".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/04 08:26
S49	2	"20030193967"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/03 17:19
S48	11	evaluat\$5 near4 header near8 identif\$5 with (element node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 07:44
S47	4	evaluat\$5 near4 header with network with identif\$5 with (element node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 07:43

S46	1	MMSE same add\$5 near5 header near10 functionality	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 15:19
S45	0	MMSE same add\$5 near5 header near10 functionality near5 (rout\$5 relay\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 15:18
S44	1	MMSE near5 element near10 functionality near5 (rout\$5 relay\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 14:36
S43	0	MMSE and header\$5 with function\$3 with rout\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 14:13
S42	2	MMS with header\$5 with function\$3 with rout\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 13:48
S41	5	MMS with function\$5 with rout\$5 same provider	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 13:47
S40	0	MMSE same function \$5 near5 rout\$5 same provider	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 13:40
S39	0	MMSE same function \$5 with rout\$5 same provider	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 13:40

S38	0	MMSE with function\$5 with rout\$5 same provider	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 13:40
S37	2	"6374292".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 13:36
S36	2	"20030193967"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 13:22
S35	247	role-based same user same interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 13:33
S34	2	"20030193967"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 13:10
S33	2	"6374292".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 11:17
S32	6	trust same address same local same global	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:39
S31	1	trust same address same link-local	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:38

S30	1	high-trust near3 address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:33
S29	238	trust near3 address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:33
S28	0	high-trust near3 address	USPAT	OR	OFF	2008/12/17 10:32
S27	0	11/146839	USPAT	OR	OFF	2008/12/17 10:27
S26	90	message with header with (domain (service adj provider)) near5 (identif\$8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 08:43
S25	1	(Multimedia adj3 messag\$5) same header same (domain (service adj provider)) near5 (identif\$8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 08:40
S24	0	(Multimedia adj3 messag\$5) same header same (domain (service adj provider)) near5 (identif\$8) and "822"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 08:40
S23	29	header with (domain (service adj provider)) near5 (identif\$8) and "822"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 08:38
S22	296	header with (domain (service adj provider)) near5 (identif\$8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 08:37

S21	689	header same (domain (service adj provider)) near5 (identif\$8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 08:37
S20	0	header same (domain (service adj provider)) near5 (identif\$8) same return near4 path	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 08:37
S19	1	header same "822" and (domain (service adj provider)) near5 (identif\$8) same return near4 path	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 08:37
S18	1	header same "822" and (domain (service adj provider)) same return near4 path near5 (identif\$8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 08:36
S17	0	header same "822/11" and (domain (service adj provider)) same return near4 path near5 (identif\$8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 08:36
S16	1	header same "RFC 822" and (domain (service adj provider)) same return near4 path near5 (identif\$8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 08:35
S15	0	header same "RFC 822" same (domain (service adj provider)) same return near4 path near5 (identif\$8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 08:34
S14	0	header same "RFC 822" same return near4 path near5 (identif\$8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 08:33

S13	0	header same "std 11" same domain near5 (identif\$8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 08:26
S12	0	header same std11 same domain near5 (identif\$8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 08:26
S11	0	header same "RFC822" same domain near5 (identif\$8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 08:26
S10	0	header same "RFC 822" same domain near5 (identif\$8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 08:25
S9	27	header same "RFC 822" and domain near5 (identif\$8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 08:25
S8	0	header same "RFC 822" and domain near5 (element node) near5 (identif\$8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 08:25
S7	0	header same "RFC 822" same domain near5 (element node) near5 (identif\$8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 08:25
S6	0	header same "RFC 822" same domain near (element node) near5 (identif\$8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 08:25

S5	0	header same "RFC 822" same network same domain near (element node) near5 (identif\$8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 08:25
S4	253	header same "RFC 822"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 08:12
S3	2	"20030193967"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 08:08
S2	6	return near5 path same "RFC 822"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 07:58
S1	86946	return near5 path same RFC "822"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 07:58

EAST Search History (I nterference)

< This search history is empty >

5/ 10/ 2010 10:53:21 AM

C:\ Documents and Settings\ apatel3\ My Documents\ EAST\ Workspaces\ 10520767-1.wsp